

med**TV**⁶⁵

medTV Smart 65"

medTV⁶⁵



medTV Smart 65"

SPECIFICATIONS

- 4K Ultra-HD 3840 x 2160
- 65" Diagonal Panel
- Metal Black Gloss Cabinet
- Cabinet Dims (WxHxD): 57.6" 33.1" x 2.1" (146.2 x 84 x 5.5cm)
- Shipping Weight: 56 lbs
- 200x300mm, 6mm

For more info, visit
pdiam.com/products/a-series65

65" LED HDTV WITH SMART TECHNOLOGY

- Use as simple TV or medTV with integrated game and relaxation apps, *no internet required*
- Smart TV Capable (Android OS 11.0) to work with Interactive Patient Software Systems
- Easy to customize with GENiO™ remote management (optional)
- UL-Listed, for use in USA and Canada Healthcare-grade
- ATSC, NTSC, Clear QAM
- Pro:Idiom® and Pro:Idiom®M
- Multi-bed Codes, Volume Limiters, and More
- Universal Pillow Speaker Recognition
- RF-HEMiS and USB Clone Capable





Customize your patient experience with GENiO™ Remote Management by PDi

Enhance your patient experience, with or without Internet

DELIVER MORE THAN SIMPLE TV

Customize your patient engagement experience, affordably and easily, with GENiO - the optional cloud-based management tool by PDi. Consistently engage patients with your educational weblinks, daily menus, video calls, send messages, patient surveys, and more.

Delight patients with pillow-speaker controlled TV, games, and relaxation, out-of-the-box. No internet required.

Or choose simple TV setup for lobbies, waiting rooms or break rooms.

DESIGNED SPECIFICALLY FOR HEALTHCARE

PDi A-Series displays with Pro:Idiom® and Pro:Idiom® are UL Listed, Universal Pillow Speaker Compatible, offer Closed Captioning and Volume Limiters to satisfy patients and staff.

Save staff steps with GENiO cloud-based updates for channel lineups and more!

Exclusive PDi Pillow Speaker Control

Improve the patient experience with seamless TV control with GENiO™.

Most universal pillow speakers are compatible with the PDi A-Series TVs without GENiO™.



Curbell 426010E-0500008

"PDi TVs are bulletproof. They stand up to a lot of abuse from patients and keep working really well. I plan to keep using them."

- Skeets Zinkhan, Healthsouth Chesapeake

MODELS & SPECIFICATIONS

medTV^{SMART}

A-Series Healthcare Televisions



65"

PDI-A65C
65" class

55"

PDI-A55B
55" class

43"

PDI-A43B
43" class

32"


PDI-A32A
32" class

24"

PDI-A24A
24" class

Includes TV, relaxation, and games; no internet required. Expand engagement with internet access or GENIO™ cloud-based customization software by PDI. Requires one-time fee or subscription for GENIO™.

Android OS	Android 11	Android 7	Android 7	Android 7	Android 7
Diagonal Panel Size	65" (165.1 cm)	55" (139.7cm)	43" (109cm)	31.5" (80.0cm)	23.6" (59.8cm)
Cabinet Type/Color	Metal/Black Gloss	Metal/Black Gloss	Metal/Black Gloss	Metal/Black Gloss	Metal/Black Gloss
Backlight Type/Life	Edge Lit LED/30,000 hrs	Edge Lit LED/30,000 hrs	Edge Lit LED/30,000 hrs	Edge Lit LED/30,000 hrs	Edge Lit LED/30,000 hrs
Native Resolution	3840 x 2160 (UHD)	3840 x 2160 (UHD)	3840 x 2160 (UHD)	1366 x 768 (HD)	1920 x 1080 (FHD)
Panel Contrast Ratio	1200:1	4000:1	1200:1	3000:1	1200:1
Viewing Angle H/V	178°/178°	176°/176°	178°/178°	176°/176°	170°/160°
Response Time	8ms	8ms	8ms	6.5ms	8.5ms
Frame Rate	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz
Power Consumption Max and Normal/ Low Standby	120 W <15 W / <1 W	120 W <15 W / <1 W	110 W <15 W / <1 W	50 W <15 W / <1 W	40 W <15 W / <1 W
Unit Dimensions W x H x D	57.6" x 33.1" x 2.1" (146.2 x 84 x 5.5cm)	49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5cm)	38.6" x 22.4" x 2.2" (98 x 57 x 6cm)	29.2" x 17.1" x 2.3" (74 x 43.5 x 6cm)	22.0" x 13.1" x 2.1" (56 x 34 x 5.3cm)
Carton Size & Carton Weight	63" x 38" x 8" 56 lbs	58" x 41" x 8" 59 lbs	42" x 26" x 6" 32 lbs	32" x 21" x 5" 19 lbs	25" x 16" x 5" 12 lbs
VESA Mount Pattern	200x300, 6mm	400x400, 8mm	200x200, 6mm	100x200, 6mm	100x100, 4mm



*Typical connections. Placement varies by model.

HEALTHCARE FEATURES



Pro:Idiom

GENiO
powered by PDI



Dolby Audio

HDMI
HIGH-DEFINITION MULTIMEDIA INTERFACE

HEALTHCARE TV FEATURES

Auto Power On	Yes
Pro:Idiom®	65" 55" 43" 32" 24"
Pro:Idiom®M	65" Optional
Multi-Bed Codes A/B/C/D	Yes
Min/Max Volume Limiter	Yes
Power-on Volume	Yes
Internal Speaker Disable	Yes
USB Cloning	Yes
RF Cloning (RF-HEMIS)	Yes
ENET Cloning (RF-HEMIS)	Yes 65"
Selectable Pillow Speaker: 55" 43" 32" 24"	+12VDC, +5VDC, OFF, -5VDC
Pillow Speaker Voltage 65"	5V
Universal Pillow Speaker Recognition	Yes 3 Conductor 1/4" Female

Direct Access to Source from Pillow Speaker	Yes
Programmable Source Selection	Yes
Channel Enable/Disable	Yes
Parental Control (V-CHIP)	Yes
Sleep Timer	Yes
OSD Language	English/Spanish/French
SI Control Port	CCI/MTI/Smart Port
IR OUT	YES (MTI Port)

Channel Tiers	3 (Free/Basic/Premium)
Digital Channel Autoscans and On/Off Capability	Yes
Customizable Power On Splash Screen	Yes
UL Hospital Safety	Yes
Setup Menu Password Lock	Yes
Set-up Wizard	Yes
Pre-loaded Apps	Yes
Multicast	Yes



EPIC
MYCHART BEDSIDE TV
.APK INCLUDED



AUDIO/VIDEO BROADCAST SYSTEMS

Aspect Ratio	16:9, 4:3
NTSC/ATSC/Clear QAM	Air VHF/UHF, CATV, IRC, HRC
MPEG4/MPEG2	Yes
Supported Formats	1080p/1080i/720p/576p/576i/480p/480i
Speakers/Audio Output Power	2 x 5W RMS, except 24" 2 x 3W RMS
Analog Channels	Mono/Stereo/SAP
Digital Channels	Multilingual
Tone Control Balance	Custom/Flat/Music/Movie/Speech
Source Input Leveling (AVC)	Yes
Dolby Audio	2 ch

INPUT/OUTPUT

AC	IEC Male, Hospital-grade
USB Port (Cloning/Firmware Updates/Multimedia Use)	Yes, 2
RF Input	Yes
HDMI/HDCCP Input	55" 43" 32" 24" Yes, 2 65" Yes, 3
CCI	Yes
MTI/SmartPort	Yes
DVD Module Port	Yes Except 65"
Pillow Speaker I/O	Yes, 3 conductor 1/4" female
Ethernet	Yes
WiFi	Yes WiFi 5
WiFi 65"	802.11ax / BT 5.0
Wireless Audio	Yes

PROCESSOR

OS	65" - Android 11 55" 43" 32" 24" Android 7
Memory	65" 1.5 GB RAM/8GB Flash 55" 43" 32" 24" 1.0 GB RAM 8GB Flash

POWER & POWER-SAVING FEATURES

Power Source	120V +/-15%, 60Hz
Inactive Power Off	Configurable Timer

COMPLIANCE

UL/cUL 62368-1, Annex DVB	Yes 65"
UL/cUL 60065, Annex Q	Yes 55" 43" 32" 24"
FCC Title 47 Part 15	Yes
Warranty	3 Year Std. 5 Year Optional

Fully integrated solutions to improve the experience.

Choose from a wide array of mounting options and amenities from PDi to perfectly place your PDi A-Series set in lobbies, waiting rooms, or your patient room & help the patient and visitors feel at home. Increase patient satisfaction with expanded entertainment accessories or options.

Contact PDi to learn about custom mount services, installation and integrated solutions.

Visit www.pdiarm.com.

ACCESSORIES



TABLE STAND



ARTICULATING WALL BRACKET



WIRELESS KEYBOARD

	PDI-A65C 65" class	PDI-A55B 55" class	PDI-A43B 43" class	PDI-A32A 32" class	PDI-A24A 24" class
Standard Flat Wall Mount		PD168-070	PD168-033	PD168-051	PD168-103
Articulating Wall Mount for TV with DVD Module		PD168-107	PD168-107	PD168-080	None
Articulating Wall Mount for TV without Module	PD168-107	PD168-107	PD168-107	PD168-080	PD181-700 (or 701)
Table Stand	PD168-108	PD168-108	PD168-108	PD168-108	None
DVD Module and Bottom Mount Kits or Side Mount Kits	N/A	PD251-043-1 Module PD251-048 Bottom	PD251-043-1 Module PD251-042 Bottom, PD251-035 Side Kit	PD251-043-1 Module PD251-045 Bottom, PD251-034 Side Kit	PD251-043-1 Module PD251-046 Bottom, PD251-033 Side Kit
GENiO Remote Management	Optional	Optional	Optional	Optional	Optional
SMART Pillow Speaker	Curbell 426010E-0500008				
Patient Remote TV/DVD/ SMART	PD108-527	PD108-527	PD108-527	PD108-527	PD108-527
Patient Remote TV only	PD108-421	PD108-421	PD108-421	PD108-421	PD108-421
Program Remote	PD108-520	PD108-520	PD108-520	PD108-520	PD108-520
Extended Warranty	Available First Year of Purchase	Available First Year of Purchase	Available First Year of Purchase	Available First Year of Purchase	Available First Year of Purchase
Wireless Keyboard	PD902-095	PD902-095	PD902-095	PD902-095	PD902-095

Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories.

Android is trademark of Google Inc.

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Some screen images are simulated. Dimensions and weights are approximate. Design specifications and features are subject to change without notice.

65" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A65C



Simple TV



Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker control




medTV SMART with GENiO™

Customize your patient experience with GENiO™ cloud software by PDi



Compatible Mounts

	LOW-PROFILE FLAT MOUNT	ARTICULATING WALL MOUNT	ARTICULATING WALL MOUNT	PAN & TILT MOUNT	CEILING GRID MOUNTS		TABLE STANDS	
								
Mount	PD168-088 Sleek design positions the TV close to the wall. Max Extension 4.7" (12.0 cm) Tilt Up 5 degrees Down 30 degrees	PD168-089 Tilt up 33° thru down 33° Weight capacity 55lbs (25 kg) Extends 10.5" (25.0 cm)	PD168-110 Tilt up 10° thru down 20° Weight capacity 77lbs (35.0 kg) Extends 20.5" (52.0 cm)	PD181-606 3" extension. Positions TV 7.4" away from the wall. <i>For longer lengths, call for details.</i> Requires PD168-070 flat mount. <i>(order separately)</i>	PDI-LCD-GRID-MT Grid mount ceiling support. Requires PD168-070 flat mount. <i>(order separately)</i> <i>Ask about high-tilt option and column extensions</i>	PDI-DUAL-GRID-MT Grid mount ceiling support for two displays. Requires PD168-070 flat mount. <i>(order separately)</i> <i>Ask about high-tilt option and column extensions</i>	PD168-108 Freestanding, glass tabletop. Supports 88 lbs. Weighs 16 lbs.	PD168-084 Compatible with VESA patterns 75x75 to 600x400. Fits TV displays up to 70"
Optional Accessories	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty PD890-1009 RF-HEMIS	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty PD890-1009 RF-HEMIS	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty PD890-1009 RF-HEMIS	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty PD890-1009 RF-HEMIS	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty PD240-003-6FT 6FT Extension PD168-039 40deg to 55deg high tilt kit PD890-1009 RF-HEMIS PD168-082 2ft Extension PD168-083 3ft Extension	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty PD168-039 40deg to 55deg high tilt kit PD890-1009 RF-HEMIS PD168-082 2ft Extension PD168-083 3ft Extension	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty PD890-1009 RF-HEMIS	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A65 Premium Warranty PD181-618-PAN Pan & Tilt PD168-004 Pan Option Kit PD890-1009 RF-HEMIS


medTV⁶⁵

65" Large-screen TV Mounting Options

Enhanced entertainment, no internet required

Model Number PDI-A65C

Typical I/O Connectors




*Typical connections. Placement varies by model.

VESA Pattern

VESA mount is 200x300, 6mm threads.

- A: 23 inches | 580.5 mm
- B: 23 inches | 580.5 mm
- C: 3.54 inches | 90 mm
- D: 21.8 inches | 553 mm



RF-HEMiS Head-end TV Management

PD890-1009

CENTRALIZED ON-SITE HEAD-END MANAGEMENT INTEGRATED TV SYSTEM

- Eliminates labor-intensive individual PDi TV touches with centralized user-friendly software
- No limit to the number of clone files that can be managed at one time
- Expedites TV installation by distributing clone files from a central location
- Automatically sends data over coax. TVs automatically receive the data when TV is powered off or on-demand
- A cost-effective solution that ensures TV setting consistency, just the way you want.



Shown here: PD890-1009, RF-HEMiS rack unit, front and back



medTV⁶⁵
TV Cloning Options

HEALTHCARE FEATURES



HEALTHCARE TV FEATURES		
Auto Power On	Yes	
Pro:Idiom®	65" 55" 43" 32" 24"	
Pro:Idiom®M	65" Optional	
Multi-Bed Codes A/B/C/D	Yes	
Min/Max Volume Limiter	Yes	
Power-on Volume	Yes	
Internal Speaker Disable	Yes	
USB Cloning	Yes	
RF Cloning (RF-HEMiS)	Yes	
ENET Cloning (RF-HEMiS)	Yes 65"	
Selectable Pillow Speaker: 55" 43" 32" 24"	+12VDC,+5VDC, OFF,-5VDC	
Pillow Speaker Voltage 65"	5V	
Universal Pillow Speaker Recognition	Yes 3 Conductor 1/4" Female	
Direct Access to Source from Pillow Speaker	Yes	Channel Tiers 3 (Free/Basic/Premium)
Programmable Source Selection	Yes	Digital Channel Autoscans and On/Off Capability Yes
Channel Enable/Disable	Yes	Customizable Power On Splash Screen Yes
Parental Control (V-CHIP)	Yes	UL Hospital Safety Yes
Sleep Timer	Yes	Setup Menu Password Lock Yes
OSD Language	English/Spanish/French	Set-up Wizard Yes
SI Control Port	CCI/MTI/Smart Port	Pre-loaded Apps Yes
IR OUT	YES (MTI Port)	Multicast Yes

AUDIO/VIDEO BROADCAST SYSTEMS		INPUT/OUTPUT	PROCESSOR
Aspect Ratio	16:9, 4:3	AC IEC Male, Hospital-grade	OS 65" -Android 11 55" 43" 32" 24" Android 7
NTSC/ATSC/Clear QAM	Air VHF/UHF, CATV, IRC, HRC	USB Port (Cloning/ Firmware Updates/ Multimedia Use) Yes, 2	Memory 65" 1.5GB RAM/8GBFlash 55" 43" 32" 24" 1.0 GB RAM 8GB Flash
MPEG4/MPEG2	Yes	RF Input Yes	
Supported Formats	1080p/1080i/720p/ 576p/576i/480p/480i	HDMI/HDCCP Input 55" 43" 32" 24" Yes, 2 65" Yes, 3	
Speakers/Audio Output Power	2 x 5W RMS, except 24" 2 x 3W RMS	CCI Yes	
Analog Channels	Mono/Stereo/SAP	MTI/SmartPort Yes	
Digital Channels	Multilingual	DVD Module Port Yes Except 65"	
Tone Control Balance	Custom/Flat/Music/Movie/ Speech	Pillow Speaker I/O Yes, 3 conductor 1/4" female	
Source Input Leveling (AVC)	Yes	Ethernet Yes	
Dolby Audio	2 ch	WiFi Yes WiFi 5	
		WiFi 65" 802.11ax / BT 5.0	
		Wireless Audio Yes	
		POWER & POWER-SAVING FEATURES	
		Power Source	120V +/-15%, 60Hz
		Inactive Power Off	Configurable Timer
		COMPLIANCE	
		UL/cUL 62368-1, Annex DVB	Yes 65"
		UL/cUL 60065, Annex Q	Yes 55" 43" 32" 24"
		FCC Title 47 Part 15	Yes
		Warranty	3 Year Std. 5 Year Optional

Easily customize with GENiO cloud-based software by PDI

GENiO powered by PDI

Consistently Educate Patients

Improve Staff workflows

Survey Patients & Measure Instant Results

Cloud based Remote Management, NO ADT

Expand Entertainment

Market Your Brand & Services, like Telchealth