
med**TV**²⁴

med**TV**²⁴



medTV Smart 24"

SPECIFICATIONS

- FHD 1920x1080
- · 23.5" Diagonal Panel
- Cabinet Dims (WxHxD): 22.0" x 13.1" x 2.1" (56 x 34 x 5.3cm)
- · Shipping Weight: 12 lbs
- · 100x100mm, 4mm

For more info, visit pdiarm.com/products/a-series24

24" LED HDTV WITH SMART TECHNOLOGY

- Use as simple TV or medTV with integrated game and relaxation apps, no internet required
- Smart TV Capable (Android OS 11) to work with Interactive Patient Software Systems
- Easy to customize with GENiO™ remote management (optional)
- UL-Listed, Healthcare-grade for use in USA and Canada
- ATSC, NTSC, QAM
- Pro:Idiom®, Pro:Idiom®M, AES-128 and DISH IP DRM
- IPTV Capable
- · Multi-bed Codes, Volume Limiters, and More
- · Universal Pillow Speaker Recognition
- · USB Clone Capable
- Compatible with Epic®MyChart®BedsideTV







PDI A-SERIES SMART HOSPITAL TVS





Android -based Smart Hospital TVs

PDi 65" 55" 43" 32" 24"

Android 11 OS or higher, compatible with Epic[®] MyChart[®] Bedside TV

Improve your patient and staff experience, with information and entertainment

EASY PATIENT ACCESS TO EPIC MYCHART

Deliver patient health information on the only Android-based hospital TVs compatible with the interactive MyChart Bedside TV Android app, available from Epic®. Patients access daily health schedules, pre-op instructions, patient medication information, care team, and more on PDi Smart Hospital TVs.

POPULAR EXPANDED ENTERTAINMENT

Delight patients with built-in pillow-speaker controlled TV, games, and relaxation, no internet required. Customize your patient experience and save staff steps using the cloud-based $GENIO_{TM}$ interactive platform by PDi.

UL-LISTED FOR HEALTHCARE

Safe for healthcare use in the USA and Canada. PDi A-Series hospital-grade displays offer Pro:Idiom® and Pro:Idiom® M, AES-128, and DISH IP-DRM. Enjoy features including IPTV capability, multi-bed codes, volume limiters, universal pillow speaker recognition, USB cloning, and more to satisfy patients and staff.

Exclusive PDi Pillow Speaker Control



Ask for Curbell PDi-GENiO pillow speakers for smart control.





A-Series Healthcare Televisions



















Expand Entertainment

MODELS & SPECIFICATIONS



Includes TV, relaxation, and games; no internet required. Expand engagement with internet access or GENIOTM cloud-based customization and remote management software by PDi.

Android OS	Android 11	Android 11	Android 11	Android 11	Android 11
Diagonal Panel Size	65" (165.1 cm)	55" (139.7cm)	43" (109 cm)	31.5" (80.0 cm)	23.5" (59.8 cm)
Backlight Type	Back Lit LED	Edge Lit LED	Edge Lit LED	Edge Lit LED	Edge Lit LED
Native Resolution	3840 x 2160 (UFHD)	3840 x 2160 (UFHD)	3840 x 2160 (UFHD)	1366x768(HD)	1920x1080(FHD)
Speakers/ Audio Output	2 x 5 W	2 x 5 W	2 x 5 W	2 x 5 W	2 x 3 W
Power Supply	120 VAC/60 Hz	120 VAC/60 Hz	120 VAC/60 Hz	120 VAC/60 Hz	120 VAC/60 Hz
Power Consumption	179 W	120 W	84 W	50 W	40 W
Max and Normal/ W x H : Low Standby	<15 W / <1 W	<15 W / <1 W	<15 W / <1 W	<15 W / <1 W	<15 W / <1 W
Unit Dimensions W x H x D	57.6" x 33.1" x 2.1" (146.2 x 84 x 5.5cm)	49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5cm)	38.6" x 22.4" x 2.2" (98 x 57 x 6cm)	29.2" x 17.1" x 2.3" (74 x 43.5 x 6cm)	22.0" x 13.1" x 2.1" (56 x 34 x 5.3cm)
Carton Size & Carton Weight	63" x 38" x 8" 56 lbs	58" x 41" x 8" 59 lbs	42" x 26" x 6" 32 lbs	32" x 21" x 5" 19 lbs	25" x 16" x 5" 12 lbs
VESA Mount Pattern	200x300, 6mm	400x400, 8mm	200x200, 6mm	100x200, 6mm	100x100, 4mm
Warranty	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional

Pillow HDMI RF IN (Antenna) Speaker I/O (lacksquare)Side Input Panel* 0 (Vertical on TV) Bottom Connection Panel* USB (2) MTI CCI Ethernet

MyChart Bedside TV Hardware Requirements

Epic MyChart Bedside TV	PDi A-Series Hospital TVs	
Android Version 9.0 or later	Android 11 OS	
Minimum 1.5 GB RAM	Minimum 1.5 GB RAM	
Pillow Speaker with 4-way Navigation Buttons, OK/Select Button, and a Back Button	PDi-GENiO Smart Pillow Speaker by Curbell Medical	

^{*}Typical connections. Placement varies by model.

HEALTHCARE FEATURES















DOLBY AUDIO**

HEALTHCARE TV FEATURES

Auto Power On	Yes
Pro:ldiom [®] Pro:ldiom [®] M	Yes
AES 128	Yes
DISH IP	Yes
Multi-Bed Codes A/B/C/D	Yes
Min/Max Volume Limiter	Yes
Power-on Volume	Yes
Internal Speaker Disable	Yes
USB Cloning	Yes
Curbell PDi-GENiO Pillow Speaker	Yes
Pillow Speaker Voltage	5V

Direct Access to Source	Yes	Channel Tiers	3 (Free/Basic/Premium)
from Pillow Speaker		Digital Channel	
Programmable Source Selection	Yes	Autoscan and On/ Off Capability	Yes
Channel Enable/ Disable	Yes	Customizable Pow On Splash Screen	yer Yes
Parental Control (V-CHIP)	Yes	UL Hospital Grade	Yes
Sleep Timer	Yes	Setup Menu Password Lock	Yes
OSD Language Limiter	English/Spanish/ French	Set-up Wizard	Yes
SI Control Port	CCI/MTI/Smart Port	Pre-loaded Apps	Yes
Universal Recognition Pillow Speaker	Yes, 3 Conductor 1/4" Female		

AUDIO/VIDEO BROADCAST SYSTEMS		
Aspect Ratio	16:9, 4:3	
Multicast IP	Yes	
NTSC/ATSC/QAM	Air VHF/UHF, CATV, IRC, HRC	
MPEG4/MPEG2	Yes	
Supported Formats	1080p/1080i/720p/ 576p/576i/480p/480i	
Speakers/Audio Output Power	2 x 5W RMS, except 24" 2 x 3W RMS	
Analog Channels	Mono/Stereo/SAP	
Digital Channels	Multilingual	
Tone Control Balance	Custom/Flat/Music/ Movie/ Speech	
Source Input Leveling (AVC)	Yes	
Dolby Audio	2 ch	

INPUT/OUTPUT			
AC IEC Ma	IEC Male, Hospital-grade		
USB Port (Cloning/ Firmware Updates/ Multimedia Use)	Yes, 2		
RF Input	Yes		
HDMI/HDCP Compliant/ HDMI-CEC	Yes, 3		
CCI	Yes		
MTI/SmartPort	Yes		
Pillow Speaker I/O	Yes, 3 conductor 1/4" female		
Ethernet	Yes		
WiFi 6	Yes		
Wireless Audio	Yes		

PROCESSOR		
os	Android11	
Flash Minimu Memory	Minimum 1.5 GB RAM/ 8GB	
POWER & POWER-SAV	ING FEATURES	
Power Source	120V +/-15%, 60Hz	
Inactive Power Off	ower Off Configurable Timer	
Configurable Standy Power	able Standy Yes	
COMPLIANCE		
UL/cUL 62368-1, Anne DVB	e x 65"	
UL/cUL 60065,Annex	Q 55" 43" 32" 24"	
FCC Title 47 Part 15	Yes	
Warranty	3 Year Standard 5 Year Optional	






Fully integrated solutions to improve the experience.

Choose from a wide array of mounting options and amenities from PDi to perfectly place your PDi A-Series set in lobbies, waiting rooms, or your patient room & help the patient and visitors feel at home. Increase patient satisfaction with expanded entertainment accessories or options.

Contact PDi to learn about custom mount services, installation and integrated solutions.

Visit www.pdiarm.com.



Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc.

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Some screen images are simulated. Dimensions and weights are approximate. Design specifications and features are subject to change without notice.



24" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A24C



Simple TV



Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker control





medTV SMART with GENiO™

Customize your patient experience with GENiO™ cloud software by PDi



Compatible Mounts

LOW-PROFILE J-HOOK ARTICULATING **ARTICULATING TABLE STAND CEILING GRID MOUNTS FLAT MOUNT** WALL MOUNT **WALL MOUNT** PD168-079 PD168-086 PD181-700 PDI-LCD-GRID-MT PDI-DUAL-GRID-MT PD168-084 Extends the TV 12.6" Grid mount ceiling Grid mount ceiling support Sleek design positions the Extends the TV 10.5" (26.7 Compatible with VESA (32 cm) away from support. for two displays. TV 4.7" (12cm) away from cm) away from the wall. Requires PD168-079 Requires PD168-079 75x75 to 600x400. Weight Capacity 55 lbs Weighs 1.9 lbs. flat mount. (order flat mounts. (order Fits TV displays up to 70" separately) separately) Does not work with DVD Does not work with DVD Ask about high-tilt option Ask about high-tilt option Module. and column extensions and column extensions PD108-520 Programming PD108-520 PD108-520 PD108-520 PD108-520 Programming PPD108-520 Remote Programming Remote Programming Remote Programming Remote Programming Remote PD108-421 or PD108-527 PD108-421 or PD108-527 PD108-421 or PD108-PD108-421 or PD108-527 PD108-421 or PD108-PD108-421 or PD108-527 Patient Remote Patient Remote Patient Remote Patient Remote Optional Accessories Patient Remote WTG-A24 Patient Remote WTG-A24 Premium WTG-A24 Premium WTG-A24 Warranty WTG-A24 Premium Warranty WTG-A24 Premium Warranty PD168-082 2ft Extension PD168-082 2ft Extension Premium Warranty Pillow Speaker Premium Warranty Pillow Speaker Pillow Speaker PD168-083 3ft Extension PD168-083 3ft Extension Ask for Curbell PDi-GENiO Ask for Curbell PDi- GENiO **Pillow Speaker** Ask for Curbell PDi-GENIO Pillow Speaker Pillow Speaker Wireless Keyboard Ask for Curbell PDi-GENiO Wireless Keyboard Wireless Keyboard Ask for Curbell PDi-GENiO Ask for Curbell PDi-GENiO PD902-950 Wireless Keyboard PD902-950 PD902-950 Wireless Keyboard Wireless Keyboard PD902-950 PD902-950 PD902-950


med**TV**²⁴

24"
Large-screen
TV Mounting
Options

Enhanced entertainment, no internet required

Document Number: MAR-CAT-810v10 Version 10-4Q2024

Model Number PDI-A24C Typical I/O Connectors



^{*}Typical connections. Placement varies by model.

VESA Pattern


VESA mount is 100x100, 4mm threads.

A: 9.1 inches | 230.2 mm

B: 9.1 inches | 230.2 mm

C: 4.6 inches | 116.6 mm

D: 4.6 inches | 116.6 mm



Patient TV Remote Control Options





Curbell PDi-GENiO Pillow Speaker

Wireless Keyboard PD902-950

med**TV**²⁴

TV Control Options

HEALTHCARE FEATURES















HEALTHCARE TV FEATURES

Yes
Yes
5V

Direct Access to Source from Pillow Speaker	Yes	Cha
Irom Pillow Speaker		Dig
Programmable Source Selection	Yes	Aut
Channel Enable/ Disable	Yes	Cus On S
Parental Control (V-CHIP)	Yes	ULI
Sleep Timer	Yes	Set
OSD Language Limiter	English/Spanish/ French	Set
SI Control Port	CCI/MTI/Smart Port	Pre
Universal Recognition Pillow Speaker	Yes, 3 Conductor 1/4" Female	

Channel Tiers	3 (Free/Basic/Premium)	
Digital Channel Autoscan and On/ Off Capability	Yes	
Customizable Pow On Splash Screen	ver Yes	
UL Hospital Grade	Yes	
Setup Menu Password Lock	Yes	
Set-up Wizard	Yes	
Pre-loaded Apps	Yes	
	Digital Channel Autoscan and On/ Off Capability Customizable Pow On Splash Screen UL Hospital Grade Setup Menu Password Lock Set-up Wizard	

PROCESSOR

Flash

Android11

AUDIO/VIDEO BROAD	CAST SYSTEMS	INPUT/OUTPUT	
Aspect Ratio	16:9, 4:3	AC IEC Ma	ile, Hospital-grade
Multicast IP	Yes	USB Port (Cloning/ Firmware Updates/	Yes, 2
NTSC/ATSC/QAM	Air VHF/UHF, CATV, IRC, HRC	Multimedia Use)	165, 2
MPEG4/MPEG2	Yes	RF Input	Yes
Supported Formats	1080p/1080i/720p/ 576p/576i/480p/480i	HDMI/HDCP Compliant/ HDMI-CEC	Yes, 3
Speakers/Audio	2 x 5W RMS, except	CCI	Yes
Output Power	24" 2 x 3W RMS	MTI/SmartPort	Yes
Analog Channels	Mono/Stereo/SAP		Yes, 3 conductor
Digital Channels	Multilingual	Pillow Speaker I/O	1/4" female
one Control Balance	Custom/Flat/Music/ Movie/ Speech	Ethernet	Yes
Source Input Leveling AVC)	Yes	WiFi 6	Yes
Polby Audio	2 ch	Wireless Audio	Yes

POWER & POWER-SAVING FEATURES		
Power Source	120V +/-15%, 60Hz	
Inactive Power Off	Configurable Timer	
Configurable Standy	Yes	

Minimum 1.5 GB RAM/8GB

COMPLIANCE

Power

UL/cUL 62368-1, Annex DVB	65"
UL/cUL 60065,Annex Q	55" 43" 32" 24
FCC Title 47 Part 15	Yes

3 Year Standard Warranty 5 Year Optional







Cloud based Remote

Management, NO ADT







