

medTV⁵⁵



medTV Smart 55"

medTV⁵⁵



medTV Smart 55"

SPECIFICATIONS

- 4K Ultra-HD 3840 x 2160
- 55" Diagonal Panel
- Cabinet Dims (WxHxD): 49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5 cm)
- Shipping Weight: 59 lbs
- 400x400mm, 8mm

For more info, visit
pdiam.com/products/a-series55


55" LED HDTV WITH SMART TECHNOLOGY

- Use as simple TV or medTV with integrated game and relaxation apps, no internet required
- Smart TV Capable (Android OS 7) to work with Interactive Patient Software Systems
- Easy to customize with GENiO™ remote management (optional)
- UL-Listed, Healthcare-grade for use in USA and Canada
- ATSC, NTSC, QAM
- Pro:Idiom®, Pro:Idiom®M, AES-128 and DISH IP DRM
- IPTV Capable
- Multi-bed Codes, Volume Limiters, and More
- Universal Pillow Speaker Recognition
- USB Clone Capable
- Compatible with Epic®MyChart®BedsideTV



Compatible with the
DVD module by PDi





| medTV SMART | |
|-------------|--|
| 65" | |
| 55" | |
| 43" | |
| 32" | |
| 24" | |

Customize your patient experience with GENiO™ Remote Management by PDi

Enhance your patient experience, with or without Internet

DELIVER MORE THAN SIMPLE TV

Customize your patient engagement experience, affordably and easily, with GENiO - the optional cloud-based management tool by PDi. Consistently engage patients with your educational weblinks, daily menus, video calls, send messages, patient surveys, and more.

Delight patients with pillow-speaker controlled TV, games, and relaxation, out-of-the-box. No internet required. Or choose simple TV setup for lobbies, waiting rooms or break rooms.

DESIGNED SPECIFICALLY FOR HEALTHCARE

PDi A-Series displays with Pro:Idiom®, Pro:Idiom®M, AES-128 and DISH IP are UL Listed, Universal Pillow Speaker Compatible, offer Closed Captioning and Volume Limiters to satisfy patients and staff.

Save staff steps with GENiO cloud-based updates for channel lineups and more!

Exclusive PDi Pillow Speaker Control



Improve the patient experience with seamless Smart TV control.

Ask for Curbell PDi-GENiO pillow speakers for smart control.

Most universal pillow speakers are compatible with PDi A-Series TVs without GENiO™

"PDi TVs are bulletproof. They stand up to a lot of abuse from patients and keep working really well. I plan to keep using them."
- Skeets Zinkhan, Healthsouth Chesapeake

MODELS & SPECIFICATIONS

medTV^{SMART} A-Series Healthcare Televisions



65"

PDI-A65C
65" class

55"

PDI-A55B
55" class

43"

PDI-A43C
43" class

32"

PDI-A32A
32" class

24"


PDI-A24A
24" class

Includes TV, relaxation, and games; no internet required. Expand engagement with internet access or GENiO™ cloud-based customization software by PDI. Requires one-time fee or subscription for GENiO™.


| Android OS | Android 11 | Android 7 | Android 11 | Android 7 | Android 7 |
|--|--|--|---|---|---|
| Diagonal Panel Size | 65" (165.1 cm) | 55" (139.7cm) | 43" (109 cm) | 31.5" (80.0 cm) | 23.5" (59.8 cm) |
| Backlight Type | Back Lit LED | Edge Lit LED | Edge Lit LED | Edge Lit LED | Edge Lit LED |
| Native Resolution | 3840 x 2160 (UFHD) | 3840 x 2160 (UFHD) | 3840 x 2160 (UFHD) | 1366x768(HD) | 1920 x1080(FHD) |
| Speakers/ Audio Output | 2 x 5 W | 2 x 5 W | 2 x 5 W | 2 x 5 W | 2 x 3 W |
| Power Supply | 120 VAC/60 Hz | 120 VAC/60 Hz | 120 VAC/60 Hz | 120 VAC/60 Hz | 120 VAC/60 Hz |
| Power Consumption | 179 W | 120 W | 84 W | 50 W | 40 W |
| Max and Normal/ W x H x D Low Standby | <15 W / <1 W | <15 W / <1 W | <15 W / <1 W | <15 W / <1 W | <15 W / <1 W |
| Unit Dimensions W x H x D | 57.6" x 33.1" x 2.1" (146.2 x 84 x 5.5cm) | 49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5cm) | 38.6" x 22.4" x 2.2" (98 x 57 x 6cm) | 29.2" x 17.1" x 2.3" (74 x 43.5 x 6cm) | 22.0" x 13.1" x 2.1" (56 x 34 x 5.3cm) |
| Carton Size & Carton Weight | 63" x 38" x 8" 56 lbs | 58" x 41" x 8" 59 lbs | 42" x 26" x 6" 32 lbs | 32" x 21" x 5" 19 lbs | 25" x 16" x 5" 12 lbs |
| VESA Mount Pattern | 200x300, 6mm | 400x400, 8mm | 200x200, 6mm | 100x200, 6mm | 100x100, 4mm |
| Warranty | 3 year Standard 5 year Optional | 3 year Standard 5 year Optional | 3 year Standard 5 year Optional | 3 year Standard 5 year Optional | 3 year Standard 5 year Optional |

Typical Panel Input 55" 32" 24"

Side Input Panel*
(Vertical on TV)




Bottom
Connection Panel*



Typical Panel Input 65" 43"

RF IN (Antenna) HDMI Pillow
Speaker I/O



HEALTHCARE FEATURES



Pro:Idiom®

GENiO™
powered by PDi



DOLBY AUDIO™

HDMI®
HIGH-DEFINITION MULTIMEDIA INTERFACE

HEALTHCARE TV FEATURES

| | | | | | |
|---------------------------------------|-------------------------|---|------------------------------|---|------------------------|
| Auto Power On | Yes | Direct Access to Source from Pillow Speaker | Yes | Channel Tiers | 3 (Free/Basic/Premium) |
| Pro:Idiom® Pro:Idiom®M | Yes | Programmable Source Selection | Yes | Digital Channel Autoscans and On/Off Capability | Yes |
| AES 128 | Yes | Channel Enable/Disable | Yes | Customizable Power On Splash Screen | Yes |
| DISH IP | Yes | Parental Control (V-CHIP) | Yes | UL Hospital Grade | Yes |
| Multi-Bed Codes A/B/C/D | Yes | Sleep Timer | Yes | Setup Menu Password Lock | Yes |
| Min/Max Volume | Yes | OSD Language Limiter | English/Spanish/French | Set-up Wizard | Yes |
| Power-on Volume | Yes | SI Control Port | CCI/MTI/Smart Port | Pre-loaded Apps | Yes |
| Internal Speaker Disable | Yes | IR OUT | YES (MTI Port) | Set-up Wizard | Yes |
| USB Cloning | Yes | Pillow Speaker Voltage 65" 43" | 5V | | |
| Curbell PDI-GENiO Pillow Speaker | Yes | Universal Recognition Pillow Speaker | Yes, 3 Conductor 1/4" Female | | |
| Selectable Pillow Speaker 55" 32" 24" | +12VDC,+5VDC, OFF,-5VDC | | | | |

AUDIO/VIDEO BROADCAST

| | |
|-----------------------------|--------------------------------------|
| Aspect Ratio | 16:9, 4:3 |
| Multicast IP | Yes |
| NTSC/ATSC/QAM | Air VHF/UHF, CATV, IRC, HRC |
| MPEG4/MPEG2 | Yes |
| Supported Formats | 1080p/1080i/720p/576p/576i/480p/480i |
| Speakers/Audio Output Power | 2 x 5W RMS, except 24" 2 x 3W RMS |
| Analog Channels | Mono/Stereo/SAP |
| Digital Channels | Multilingual |
| Tone Control Balance | Custom/Flat/Music/Movie/ Speech |
| Source Input Leveling (AVC) | Yes |
| Dolby Audio | 2 ch |

INPUT/OUTPUT

| | |
|--|--------------------------------------|
| AC | IEC Male, Hospital-grade |
| USB Port (Cloning/Firmware Updates/Multimedia Use) | Yes, 2 |
| RF Input | Yes |
| HDMI/HDCP Input | 55" 32" 24" Yes, 2 43" 65" Yes, 3 |
| CCI | Yes |
| MTI/SmartPort | Yes |
| DVD Module Port | 55" 32" 24" |
| Pillow Speaker I/O | Yes, 3 conductor 1/4" female |
| Ethernet | Yes |
| WiFi 4 | 55" 32" 24" |
| WiFi 6 | 43" 65" |
| Wireless Audio | Yes |

PROCESSOR

| | |
|--------|---|
| OS | 65" and 43" - Android 11 55" 32" 24" Android 7 |
| Memory | 65" 43" 1.5 GB RAM/ 8GB Flash 55" 32" 24" 1.0 GB RAM 8GB Flash |

POWER & POWER-SAVING

| | |
|----------------------------|--------------------|
| Power Source | 120V +/-15%, 60Hz |
| Inactive Power Off | Configurable Timer |
| Configurable Standby Power | Yes |

COMPLIANCE

| | |
|---------------------------|------------------------------------|
| UL/cUL 62368-1, Annex DVB | 65" |
| UL/cUL 60065, Annex Q | 55" 43" 32" 24" |
| FCC Title 47 Part 15 | Yes |
| Warranty | 3 Year Standard 5 Year Optional |

Fully integrated solutions to improve the experience.

Choose from a wide array of mounting options and amenities from PDi to perfectly place your PDi A-Series set in lobbies, waiting rooms, or your patient room & help the patient and visitors feel at home. Increase patient satisfaction with expanded entertainment accessories or options.

Contact PDi to learn about custom mount services, installation and integrated solutions.

Visit www.pdiarm.com.

ACCESSORIES



TABLE STAND



ARTICULATING WALL BRACKET



WIRELESS KEYBOARD



CURBELL PDi-GENiO Pillow Speaker

| | PDi-A65C 65" class | PDi-A55B 55" class | PDi-A43C 43" class | PDi-A32A 32" class | PDi-A24A 24" class |
|--|--|--|----------------------------------|---|---|
| Standard Flat Wall Mount | PD168-088 | PD168-070 | PD168-033 | PD168-079 | PD168-079 |
| Articulating Wall Mount for TV with DVD Module | PD168-089 | PD168-087 | PD168-110 | PD168-080 | None |
| Articulating Wall Mount for TV without Module | PD168-110 | PD168-087 | PD168-110 | PD168-080 | PD181-700 |
| Table Stand | PD168-108 or PD168-084 | PD168-108 or PD168-084 | PD168-108 or PD168-084 | PD168-108 or PD168-084 | PD168-084 |
| J Hook Mount | None | PD168-086 | PD168-086 | PD168-086 | PD168-086 |
| DVD Module and Bottom-Mount or Side Mount Kits | N/A | PD251-043-1 Module PD251-048 Bottom | N/A | PD251-043-1 Module PD251-045 Bottom, PD251-034 Side Kit | PD251-043-1 Module PD251-046 Bottom, PD251-033 Side Kit |
| GENiO Remote Management | Optional | Optional | Optional | Optional | Optional |
| SMART Pillow Speaker | Ask for Curbell PDi-GENiO Pillow Speaker | | | | |
| Patient Remote TV/ DVD/ SMART | PD108-527 | PD108-527 | PD108-527 | PD108-527 | PD108-527 |
| Patient Remote TV | PD108-421 | PD108-421 | PD108-421 | PD108-421 | PD108-421 |
| Program Remote | PD108-520 | PD108-520 | PD108-520 | PD108-520 | PD108-520 |
| Extended Warranty | Available First-Year of Purchase | Available First-Year of Purchase | Available First-Year of Purchase | Available First-Year of Purchase | Available First-Year of Purchase |
| Wireless Keyboard | PD902-950 | PD902-950 | PD902-950 | PD902-950 | PD902-950 |

Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc.

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Some screen images are simulated. Dimensions and weights are approximate. Design specifications and features are subject to change without notice.

55" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A55B



Simple TV



Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker control



medTV SMART with GENiO™

Customize your patient experience with GENiO™ cloud software by PDI



Compatible Mounts

| | LOW-PROFILE FLAT MOUNT | ARTICULATING WALL MOUNT | J-HOOK ARTICULATING WALL MOUNT | PAN & TILT MOUNT | CEILING GRID MOUNTS | TABLE STANDS | | |
|----------------------|---|---|---|---|---|---|--|---|
| | | | | | | | | |
| Mount | <p>PD168-070</p> <p>Sleek design positions the TV close to the wall.</p> <p>Max Extension 4.5" (11.4 cm)</p> <p>Tilt Up 5 degrees Down 30 degrees</p> | <p>PD168-087</p> <p>Tilt +/- 33 degrees</p> <p>Swivel 90° L/R</p> <p>Extends 10.6" (26.7 cm)</p> | <p>PD168-086</p> <p>Extends the TV 10.5" (26.7 cm) away from the wall.</p> <p>Weight capacity 55lbs (25 kg)</p> <p>Does not work with DVD Module.</p> | <p>PD181-606</p> <p>3" extension. Positions TV 7.4" away from the wall. <i>For longer lengths, call for details.</i></p> <p>Requires PD168-079 flat mount. <i>(order separately)</i></p> | <p>PDI-LCD-GRID-MT</p> <p>Grid mount ceiling support. Requires PD168-079 flat mount. (order separately)</p> <p>Ask about high-tilt option and column extensions</p> | <p>PDI-DUAL-GRID-MT</p> <p>Grid mount ceiling support. Requires PD168-079 flat mount. (order separately)</p> <p>Ask about high-tilt option and column extensions</p> | <p>PD168-108</p> <p>Freestanding, glass tabletop.</p> <p>Supports 88 lbs.</p> <p>Weighs 16 lbs</p> | <p>PD168-084</p> <p>Compatible with VESA patterns 75x75 to 600x400.</p> <p>Fits TV displays up to 70"</p> |
| Optional Accessories | <p>PD108-520 Programming Remote</p> <p>PD108-421 or PD108-527 Patient Remote</p> <p>WTG-A55 Premium Warranty</p> <p>PD251-043-1 DVD Module</p> <p>PD251-048 Bottom DVD Kit</p> <p>Pillow Speaker</p> <p>Ask for Curbell PDI-GENiO Pillow Speaker</p> <p>Wireless Keyboard</p> <p>PD902-950</p> | <p>PD108-520 Programming Remote</p> <p>PD108-421 or PD108-527 Patient Remote</p> <p>WTG-A55 Premium Warranty</p> <p>PD251-043-1 DVD Module</p> <p>PD251-048 Bottom DVD Kit</p> <p>Pillow Speaker</p> <p>Ask for Curbell PDI-GENiO Pillow Speaker</p> <p>Wireless Keyboard</p> <p>PD902-950</p> | <p>PD108-520 Programming Remote</p> <p>PD108-421 or PD108-527 Patient Remote</p> <p>WTG-A55 Premium Warranty</p> <p>Pillow Speaker</p> <p>Ask for Curbell PDI-GENiO Pillow Speaker</p> <p>Wireless Keyboard</p> <p>PD902-950</p> | <p>PD108-520 Programming Remote</p> <p>PD108-421 or PD108-527 Patient Remote</p> <p>WTG-A55 Premium Warranty</p> <p>PD251-043-1 DVD Module</p> <p>PD251-048 Bottom DVD Kit</p> <p>Pillow Speaker</p> <p>Ask for Curbell PDI-GENiO Pillow Speaker</p> <p>Wireless Keyboard</p> <p>PD902-950</p> | <p>PD108-520 Programming Remote</p> <p>PD108-421 or PD108-527 Patient Remote</p> <p>WTG-A55 Premium Warranty</p> <p>PD240-003-6FT 6FT Extension</p> <p>PD168-039 40deg to 55deg high tilt kit</p> <p>PD251-043-1 DVD Module</p> <p>PD251-048 Bottom DVD Kit</p> <p>PD168-082 2ft Extension</p> <p>PD168-083 3ft Extension</p> <p>Pillow Speaker</p> <p>Ask for Curbell PDI-GENiO</p> <p>Wireless Keyboard</p> <p>PD902-950</p> | <p>PD108-520 Programming Remote</p> <p>PD108-421 or PD108-527 Patient Remote</p> <p>WTG-A55 Premium Warranty</p> <p>PD168-039 40deg to 55deg high tilt kit</p> <p>PD251-043-1 DVD Module</p> <p>PD251-048 Bottom DVD Kit</p> <p>PD168-082 2ft Extension</p> <p>PD168-083 3ft Extension</p> <p>Pillow Speaker</p> <p>Ask for Curbell PDI-GENiO</p> <p>Wireless Keyboard</p> <p>PD902-950</p> | <p>PD108-520 Programming Remote</p> <p>PD108-421 or PD108-527 Patient Remote</p> <p>WTG-A55 Premium Warranty</p> <p>PD251-043-1 DVD Module</p> <p>PD251-048 Bottom DVD Kit</p> <p>PD168-082 2ft Extension</p> <p>PD168-083 3ft Extension</p> <p>Pillow Speaker</p> <p>Ask for Curbell PDI-GENiO</p> <p>Wireless Keyboard</p> <p>PD902-950</p> | <p>PD108-520 Programming Remote</p> <p>PD108-421 or PD108-527 Patient Remote</p> <p>WTG-A55 Premium Warranty</p> <p>PD181-618-PAN Pan & Tilt</p> <p>PD168-004 Pan Option Kit</p> <p>PD251-043-1 DVD Module</p> <p>PD251-048 Bottom DVD Kit</p> <p>PD890-1009 F-HEMIS</p> <p>Pillow Speaker</p> <p>Ask for Curbell PDI-GENiO</p> <p>Wireless Keyboard</p> <p>PD902-950</p> |


medTV⁵⁵

55" Large-screen TV Mounting Options

Enhanced entertainment, no internet required

Model Number PDI-A55B

Typical I/O Connectors




*Typical connections. Placement varies by model.

VESA Pattern

VESA mount is 400x400, 8mm threads.

- A: 16.7 inches | 425.1 mm
- B: 16.7 inches | 425.1 mm
- C: 6.4 inches | 162.4 mm
- D: 6.4 inches | 162.4 mm



Patient TV Remote Control Options



Curbell PDI-GENiO
Pillow Speaker



Wireless Keyboard
PD902-950

Healthcare Features

Model Number PDI-A55B



Pro:Idiom

GENiO
powered by PDI



DOLBY AUDIO™

HDMI®
HIGH-DEFINITION MULTIMEDIA INTERFACE

HEALTHCARE TV FEATURES

| | | | | | |
|---------------------------------------|---------------------------|---|------------------------------|--|------------------------|
| Auto Power On | Yes | Direct Access to Source from Pillow Speaker | Yes | Channel Tiers | 3 (Free/Basic/Premium) |
| Pro:Idiom® Pro:Idiom®M | Yes | Programmable Source Selection | Yes | Digital Channel Autoscan and On/Off Capability | Yes |
| AES 128 | Yes | Channel Enable/Disable | Yes | Customizable Power On Splash Screen | Yes |
| DISH IP | Yes | Parental Control (V-CHIP) | Yes | UL Hospital Grade | Yes |
| Multi-Bed Codes A/B/C/D | Yes | Sleep Timer | Yes | Setup Menu Password Lock | Yes |
| Min/Max Volume | Yes | OSD Language Limiter | English/Spanish/French | Set-up Wizard | Yes |
| Power-on Volume | Yes | SI Control Port | CCI/MTI/Smart Port | Pre-loaded Apps | Yes |
| Internal Speaker Disable | Yes | IR OUT | YES (MTI Port) | Set-up Wizard | Yes |
| USB Cloning | Yes | Pillow Speaker Voltage 65" 43" | 5V | | |
| Curbell PDI-GENiO Pillow Speaker | Yes | Universal Recognition Pillow Speaker | Yes, 3 Conductor 1/4" Female | | |
| Selectable Pillow Speaker 55" 32" 24" | +12VDC, +5VDC, OFF, -5VDC | | | | |

AUDIO/VIDEO BROADCAST

| | |
|-----------------------------|--------------------------------------|
| Aspect Ratio | 16:9, 4:3 |
| Multicast IP | Yes |
| NTSC/ATSC/QAM | Air VHF/UHF, CATV, IRC, HRC |
| MPEG4/MPEG2 | Yes |
| Supported Formats | 1080p/1080i/720p/576p/576i/480p/480i |
| Speakers/Audio Output Power | 2 x 5W RMS, except 24" 2 x 3W RMS |
| Analog Channels | Mono/Stereo/SAP |
| Digital Channels | Multilingual |
| Tone Control Balance | Custom/Flat/Music/Movie/ Speech |
| Source Input Leveling (AVC) | Yes |
| Dolby Audio | 2 ch |

INPUT/OUTPUT

| | |
|--|--------------------------------------|
| AC | IEC Male, Hospital-grade |
| USB Port (Cloning/Firmware Updates/Multimedia Use) | Yes, 2 |
| RF Input | Yes |
| HDMI/HDCP Input | 55" 32" 24" Yes, 2 43" 65" Yes, 3 |
| CCI | Yes |
| MTI/SmartPort | Yes |
| DVD Module Port | 55" 32" 24" |
| Pillow Speaker I/O | Yes, 3 conductor 1/4" female |
| Ethernet | Yes |
| WiFi 4 | 55" 32" 24" |
| WiFi 6 | 43" 65" |
| Wireless Audio | Yes |

PROCESSOR

| | |
|--------|---|
| OS | 65"and43"- Android11 55" 32" 24" Android 7 |
| Memory | 65" 43" 1.5 GB RAM/ 8GB Flash 55" 32" 24" 1.0 GB RAM 8GB Flash |

POWER & POWER-SAVING

| | |
|----------------------------|--------------------|
| Power Source | 120V +/-15%, 60Hz |
| Inactive Power Off | Configurable Timer |
| Configurable Standby Power | Yes |

COMPLIANCE

| | |
|---------------------------|------------------------------------|
| UL/cUL 62368-1, Annex DVB | 65" |
| UL/cUL 60065, Annex Q | 55" 43" 32" 24" |
| FCC Title 47 Part 15 | Yes |
| Warranty | 3 Year Standard 5 Year Optional |

medTV⁵⁵

TV Control
Options

Easily customize with GENiO cloud-based software by PDI

GENiO
powered by PDI



Consistently Educate Patients



Improve Staff workflows



Survey Patients & Measure Instant Results



Cloud based Remote Management, NO ADT



Expand Entertainment



Market Your Brand & Services, like Telchealth