

Customize your patient engagement experience, affordably.



COMPLETE TOUCHSCREEN SOLUTIONS THAT SATISFY PATIENTS & STAFF

- Optional Cloud-based GENiO remote content management on medTAB delivers a custom patient TV experience with your brand logo, weblinks to your patient education videos, daily menus, video call software, patient surveys and more.
- PDi makes it affordable and easy to manage with NO ADT integration.
- Not ready to customize? medTAB is simple and scalable out-of-the-box. Choose to setup TV with internet or offer patients expanded entertainment (NO internet required) with pre-loaded TV, games, and relaxation.
- Bleach-cleanable and built for infection control, the complete medTAB arm-mounted patient TV system is built by PDi, the largest TV maker in the USA, focused on healthcare since 1980.



Everything You Need For An Entertainment System Designed Around The Patient



OUT-OF-THE-BOX EXPERIENCE

preloaded







Relaxation



Education

(cdc.gov)



✗ Includes "clear data" feature for patient privacy




Social


GENIO™ CUSTOM TV

Cloud-based content management to differentiate your patient engagement experience



Dimensions (inches)







20.4" × 14.5" × 3" 51.9cm x 36.9cm x 7.6cm VESA 75X75





medTAB²²



1400 Series Arm

- · Reduces back, neck, and eye strain
- · A better audio experience
- Secures your device investment
- · Intelligent cable management
- · UL-Listed & Antimicrobial

Low-voltage **Power Supplies**

Safe, UL-Listed low-voltage power supplies



Slim Power Mount 120 VAC In / 24 VDC Out 2.5 amps

PDI-871-COLOR

Standard External **Power Supply** 120 VAC In / 24 VDC Out 2.5 amps







Ten-Tap Power Supply Input 115 VAC/60Hz Selectable Output 28 VAC or 32 VAC

PDI-722HE-COLOR

Secure Mounts for Hospitals, Dialysis, Clinics, Senior Living & More







"...severe headaches made it difficult for my father to wear his glasses, but the TV swing arm allowed him to pull the television close and alleviate his boredom between visits from family and friends."

- Rich C.


PDi's innovative designs allow devices to mount to headwalls, counters, ceilings, floors, chairs and more. Ohio-based PDi Communication Systems, Inc. designs, manufactures and builds more complete arm-mounted bedside entertainment systems than anyone in the industry





Cloud-based Customization


- -Affordable and optional subscription for remote management software on medTAB
- -Saves staff time and steps
- -No on-site server
- -Keeps patients happy with fewer distruptions and streaming TV



















Market Your Brand & Services, like Telehealth

Remote Patient TV Management

- -Send/install Apps
- -Reboot TVs
- -Push messages such as "Fire Alarm Testing 2pm"
- -Expand streaming apps for on-demand entertainment and more

TV Cloning

Has your TV signal provider changed your channel line-up? NO PROBLEM Use GENIO to push new TV line-ups to all TVs at once!

Custom Apps

- -Easy to modify the TV experience with content that matters most to your patient populations
- -Deliver meaningful patient education to each department
- -Compatible with Epic [®] MyChart [®] Bedside AndroidTM based application.



KEY FEATURES



Popular Web-based option for remote content management using $\text{GENiO}_{\text{\tiny TM}}$



Built by PDi for UL healthcare-grade, low-voltage standards.



Continuous, low-voltage power over Coax or Power over Ethernet.




Fully integrated all-in-one touchscreen tablet plus TV, built for healthcare.



Standard cabinet color is Starlight Gray. Ask about Cream Availability



Compatible with PDi arms or available as rear VESA 75x75mm rear-mount for mounting in any situation.





Designed, programmed and assembled in the U.S.A.



Trust PDi to design, inspect, install, warranty, and repair patient TV systems.

SPECIFICATIONS

SPECIFICATIONS			
PANEL	medTA	∖B ¹⁶	medTAB ²²
Diagonal Screen Size	15.6	"	21.5″
Display Resolution	1920x1	080	1920x1080
Backlight Type	LED		LED
TV STANDARDS n	nedTAB ¹⁶	med	dTAB ²²
Antenna Input NTSC, ATSC	, QAM (Air VHF	/UHF, C	ATV, IRC, HRC)
IPTV	Yes		
AES- 128 and DISH IP DRM Pro:Idiom® & Pro:Idiom®M	Yes		
Dolby Audio™	Yes		
MPEG4 / MPEG2	Yes		
TV SET-UP FEATURES		•	•
Audio Volume Limiter		Yes	
Internal Speaker Disable		Yes	
Min/Max Volume Limiter		Yes	
Start/ Power-on Volume		Yes	
USB or GENIO TV Cloning & Firmware Updates		Yes	
Parental Control (V-CHIP)		Yes	
Programmable Source Selection		Yes	
Password Protected Set-up Menus		Yes	
Channel Enable/Disable and		Yes	

POWER	medTAB ¹⁶ medTAB ²²		
Source	POE or Power over Coax	POE or Power over Coax	
Max Consumption	34W	55W	

Coax Voltage Input

Aliasing/Remapping
Closed-captioning

Menu OSD

Factory Reset

20-36 VAC/20-40 VDC

Yes

Yes

Yes



Dolby	/ Au	ıdio

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc.

medTV and medTAB are trademarks of PDi Communication Systems, Inc. Some screen images are simulated. Dimension and weights are approximate. Design specification and features are subject to change without notice.

INPUT / OUTPUT	medTAB ¹⁶	medTAB ²²
Ethernet	Yes	Yes
RF Input	1 (75ohm Unbalanced)	1 (75ohm Unbalanced)
USB 2 USB-A	: Patient Facing 1 USB-/	A and 1 USB-C, Patient Facing
НОМІ	2 Optional	2 Optional
Front Headphone	Yes, 1/8" jack	Yes, 1/8" jack
Speakers	2 x 1.7W RMS	2 x1.7W RMS
CCI	Optional	Optional
Pillow Speaker	Optional	Optional
REGULATORY	medTAB ¹⁶	medTAB ²²
UL	60065 Annex Q	62368-1 Annex DVB
FCC Title 15, Part 47, Su	bpart B Yes	Yes
COMPUTER FEATURE	s medTAB ¹⁶	medTAB ²²
os	Android 7	Android 11
CPU	rm A53 Quad Core 1.5GHz	1.9GHz 64-bit Quad Core ARM® Cortex™-A55 CPU
WiFi	WiFi 5	WiFi 5
Wireless Audio	Yes	Yes
Ethernet	Yes	Yes
Touchscreen	Projected Capacitance	Projected Capacitance
RAM	2GB	4GB
Storage	16GB	16GB
Camera/Microphone	Optional, 5MP	Optional, 8MP

DIMENSIONS	medTAB ¹⁶	medTAB ²²	:
Weight Lbs. (Kg)	7 lbs (3.2 kg)	13 lbs (5.9 kg)	
Unit Dimension (W/H/D) - Swivel	15.2" x 14.8" x 2.5" 386 x 376 x 64mm	20.4" x 17.75" x 3" 519 x 452 x 76mm	
Unit Dimension (W/H/D) - VESA	15.2" x 11.3" x 2.5" 386 x 287 x 64mm	20.4" x 14.5" x 3" 519 x 369 x 76mm	
			•

PART NUMBERS *

medTAB16D1-GB2-C, with Cam/Mic

16" medTAB Android TV-tablet with GENIO, COAX+CAT6(ENET), Starlight Gray, Coax Power

medTAB22E-GB2-C, No Cam/Mic medTAB22E1-GB2-C, with Cam/ Mic 22" medTAB Android TV-tablet with GENIO, COAX+CAT6(ENET), Starlight Gray, Coax Power

WTG-medTAB

Premium Warranty

*Call for other cable, power, or color configuration part numbers.




Complete Solutions to Customize Your Patient Engagement Experience











GENIO™

CUSTOM PATIENT

EXPERIENCE

Easily customize your

patient experience with GENiO™ cloud-based

remote content management by PDi.

powered by PDi

Swivel Arm-mounted Solutions

Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color

	HEADWALL MOUNT	COUNTER MOUNT	RIGHT ANGLE MOUNT	SUPER REACH CEILING MOUNT	HORIZONTAL MOUNT	FLOOR MOUNT
16" HDTV-Tablet		Coax-pr	medTAB16D1-xB2 owered 16" All-in-One toud Android™-based OS 7.0. F	chscreen HDTV-Tablet + 0	GENiO.	
Support Arm	PDI-AA1407-GB 68" Arm, 5/8" Base Pin, Holds 7 lbs, COAX+CAT6(ENET)	PDI-AA1407-GB 68" Arm, 5/8" Base Pin, Holds 7 lbs, COAX+CAT6 (ENET)	PDI-AA1407-GB 68" Arm, 5/8" Base Pin, Holds 7 lbs, COAX+CAT6(ENET)	PDI-AJ1007-GB Extended 48" Reach Ceiling Arm (includes support mount above ceiling) Holds 7 lbs, COAX+CAT6(ENET)	PD153-004-G and PDI-AD1407-GB Great for low ceilings, No upward arm motion, Std 23.5" extension, 31" drop reach. Holds 7 lbs, COAX+CAT6(ENET)	PDI-AA1407-GB 68" Arm, 5/8" Base Pin, Holds 7 lbs, COAX+CAT6 (ENET)
Mount	Mount is included in Slim Power Mount (PDI-871-G)	PDI-STM-14AV-G 14" Single Table Mount with Rotational Stops and AVV Plate	PDI1295WRS-AV-G Right Angle Counter Mount with Rotational Stops and A/V Cutout	Mount PDI- AJ1007-GB is Included in Arm	Mount is Included in Slim Power Mount (PDI-871-G)	PDI-886-G 48" tall Floor Mount, 5/8" Base Pin
Power Supply	PDI-871-G Slim Power Mount Combo Unit = Mount and Power	PDI-750AS-G Standard External Power Supply	PDI-750AS-G Standard External Power Supply	PDI-750AS-G Standard External Power Supply	PDI-871-G Slim Power Mount Combo Unit = Mount and Power	PDI-750AS-G Standard External Power Supply
Optional Accessories	PDI-179RS-G Rotational Stop PDI-255E-G External Backer Plate, 16" OC PDI-254I Internal Backer Plate, 16" OC PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PDI-179RS-G Rotational Stop PDI-255E-G External Backer Plate, 16"OC PDI-254I Internal Backer Plate, 16"OC PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PDI-244DBF-G Dual Rotational Stops PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty



Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color





Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color

	Swivel Arm-mounted Solutions					
	HEADWALL MOUNT	COUNTER MOUNT	RIGHT ANGLE MOUNT	SUPER REACH CEILING MOUNT	HORIZONTAL MOUNT	FLOOR MOUNT
16" HDTV-Tablet	medTAB16D1-xB2-C with Cam/Mic Coax-powered 16" All-in-One touchscreen HDTV-Tablet + GENiO. Android™-based OS 7.0. Pro:Idiom. COAX+ENET.					
Support Arm	PDI-AA1407-GB 68" Arm, 5/8" Base Pin, Holds 7 lbs, COAX+CAT6(ENET)	PDI-AA1407-GB 68" Arm, 5/8" Base Pin, Holds 7 lbs, COAX+CAT6 (ENET)	PDI-AA1407-GB 68" Arm, 5/8" Base Pin, Holds 7 lbs, COAX+CAT6(ENET)	PDI-AJ1007-GB Extended 48" Reach Ceiling Arm (includes support mount above ceiling) Holds 7 lbs, COAX+CAT6(ENET)	PD153-004-G and PDI-AD1407-GB Great for low ceilings, No upward arm motion, Std 23.5" extension, 31" drop reach. Holds 7 lbs, COAX+CAT6(ENET)	PDI-AA1407-GB 68" Arm, 5/8" Base Pin, Holds 7 lbs, COAX+CAT6 (ENET)
Mount	PDI-179AV-G Standard Arm Mount	PDI-STM-14AV-G 14" Single Table Mount with Rotational Stops and A/V Plate	PDI1295WRS-AV-G Right Angle Counter Mount with Rotational Stops and A/V Cutout	Mount PDI- AJ1007-GB is Included in Arm	PDI-179AV-G Standard Arm Mount	PDI-886-G 48" tall Floor Mount, 5/8" Base Pin
Power Supply				772 or ap Central Power Supply		
Optional Accessories	PDI-179-EXT-G 4" Extension PDI-179RS-G Rotational Stop PDI-255E-G External Backer Plate, 16" OC PDI-254I Internal Backer Plate, 16" OC PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PDI-179-EXT-G 4" Extension PDI-179RS-G Rotational Stop PDI-255E-G External Backer Plate, 16"OC PDI-254I Internal Backer Plate, 16"OC PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PDI-244DBF-G Dual Rotational Stops PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty



Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color

Rear VESA Mounted Solutions **COMPLETE CEILING CHAIR SPACESAVER MOUNT/HI-TILT MOUNT INFUSION SYSTEM HDTV-Tablet** medTAB16D1R-xB2-C with Cam/Mic Coax-powered, rear-mounted 16" All-in-One touchscreen HDTV-Tablet + GENiO. Android™-based OS 7.0. Pro:Idiom. COAX+ENET. PD168-068 PDI-AC1410-GB 24" reach, 75x75 and 100x100, Support Arm Complete Ceiling Arm (includes support COAX+CAT6(ENET) (no power supply) mount above ceiling) 39" arm length, 43" to 17" reach 75x75 and 100x100 68" support length. Holds 7 lbs, COAX Mount is included in PDI-AC1410-GB arm. Mount is included in Call for Options. Mount Designs for certain models of Champion PD168-068 arm. PD168-067-G Chair, IOA Healthcare Furniture, and La-Z-Boy. Pendant Kit Rear-mounted 16" positions TV parallel to bed PDI-772HE or PDI-772HE-IND Ten-tap Central Power Supply PD108-520 PD181-813 Adapter 100x100mm PD108-520 Programming Remote PD181-783 Programming Remote Plate 100x100mm Optional Accessories PD108-421 or PD108-527 PD108-421 or PD108-527 Patient Remote PD181-785 Patient Remote Plate 75x75mm WTG-medTAB Premium Warranty WTG-medTAB Premium PD108-520 Warranty Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty



PDi offers many cable configurations. Standard options are shown below. Remember to order the same cables in PDi arm and medTAB device.

	PART NUMBER	COLOR	CABLES AND DESCRIPTION		
PDi Swivel Arm-mounted Solutions	HDTV-TABLET				
	medTAB16D1-xB2-C x=color C/G	Cream	COAX+CAT6(ENET). PDi arm-mounted medTAB ¹⁶ with GENiO and Cam/Mic. Power over Coax.		
	PDI-AA1407-xB x=color C/G	Gray	1400 Series Support Arm, 68" reach, Supports 7 lbs for medTAB ¹⁶ . COAX+CAT6(ENET).		
	HDTV-TABLET with EXTERNAL DEVICES (Gaming Systems, DVD Players, etc.)				
	medTAB16D1-xH2-C x=color C/G	Cream	COAX+CAT6(ENET)+HDMI. PDi arm-mounted medTAB ¹⁶ with GENiO and Cam/Mic. Power over Coax.		
	PDI-AA1407-xH x=color C/G	Gray	1400 Series Support Arm, 68" reach, Supports 7 lbs for medTAB16. COAX+CAT6(ENET)+HDMI.		
Rear VESA Mounted Solutions	medTAB16D1R-xB2-C x=color C/G	Cream	Rear VESA medTAB ¹⁶ with GENiO and Cam/Mic. COAX+CAT6(ENET). Power over Coax.		
	medTAB16D1R-xH2-C x=color C/G	Gray	Rear VESA medTAB ¹⁶ with GENiO and Cam/Mic. COAX+CAT6(ENET)+HDMI. Power over Coax.		

Please call 800.628.9870 for additional configurations.

PDi Individual Low-voltage Power Supplies



Individual Slim Power Mount, Starlight Gray PDI-871-G



Individual External Power Supply, Starlight Gray PDI-750AS-G

PDi 10-Tap Central Power Supplies



1 RF Input/ 10 RF ACTV Outputs PDI-772HE



10 RF Inputs/ 10 RF ACTV Outputs PDI-772HE-IND - For use with

PDi Minimods -





Color Options

Standard Color is Starlight Gray

Ask about Cream availability



