


Customize your patient engagement experience, affordably.



#### **COMPLETE TOUCHSCREEN SOLUTIONS THAT SATISFY PATIENTS & STAFF**

- Optional Cloud-based GENiO remote content management on medTAB delivers a custom patient TV experience with your brand logo, weblinks to your patient education videos, daily menus, video call software, patient surveys and more.
- PDi makes it affordable and easy to manage with NO ADT integration.
- Not ready to customize? medTAB is simple and scalable out-of-the-box. Choose to setup TV with internet or offer patients expanded entertainment (NO internet required) with pre-loaded TV, games, and relaxation.
- Bleach-cleanable and built for infection control, the complete medTAB arm-mounted patient TV system is built by PDi, the largest TV maker in the USA, focused on healthcare since 1980.



# Everything You Need For An Entertainment System Designed Around The Patient



#### **OUT-OF-THE-BOX EXPERIENCE**

preloaded







Relaxation



Education

(cdc.gov)



✗ Includes "clear data" feature for patient privacy




Social


# **GENIO™ CUSTOM TV**

Cloud-based content management to differentiate your patient engagement experience



### Dimensions (inches)







20.4" × 14.5" × 3" 51.9cm x 36.9cm x 7.6cm VESA 75X75





medTAB<sup>22</sup>



## 1400 Series Arm

- · Reduces back, neck, and eye strain
- · A better audio experience
- Secures your device investment
- · Intelligent cable management
- · UL-Listed & Antimicrobial

## Low-voltage **Power Supplies**

Safe, UL-Listed low-voltage power supplies



Slim Power Mount 120 VAC In / 24 VDC Out 2.5 amps

PDI-871-COLOR

Standard External **Power Supply** 120 VAC In / 24 VDC Out 2.5 amps







Ten-Tap Power Supply Input 115 VAC/60Hz Selectable Output 28 VAC or 32 VAC

PDI-722HE-COLOR

# Secure Mounts for Hospitals, Dialysis, Clinics, Senior Living & More







"...severe headaches made it difficult for my father to wear his glasses, but the TV swing arm allowed him to pull the television close and alleviate his boredom between visits from family and friends."

- Rich C.


PDi's innovative designs allow devices to mount to headwalls, counters, ceilings, floors, chairs and more. Ohio-based PDi Communication Systems, Inc. designs, manufactures and builds more complete arm-mounted bedside entertainment systems than anyone in the industry





# Cloud-based Customization

- -Affordable and optional subscription for remote management software on medTAB
- -Saves staff time and steps
- -No on-site server
- -Keeps patients happy with fewer distruptions and streaming TV



















Market Your Brand & Services, like Telehealth

### Remote Patient TV Management

- -Send/install Apps
- -Reboot TVs
- -Push messages such as "Fire Alarm Testing 2pm"
- -Expand streaming apps for on-demand entertainment and more

### **TV Cloning**

Has your TV signal provider changed your channel line-up? NO PROBLEM Use GENIO to push new TV line-ups to all TVs at once!

## **Custom Apps**

- -Easy to modify the TV experience with content that matters most to your patient populations
- -Deliver meaningful patient education to each department
- -Compatible with Epic <sup>®</sup> MyChart <sup>®</sup> Bedside AndroidTM based application.



#### **KEY FEATURES**



Popular Web-based option for remote content management using  $\text{GENiO}_{\text{\tiny TM}}$ 



Built by PDi for UL healthcare-grade, low-voltage standards.



Continuous, low-voltage power over Coax or Power over Ethernet.




Fully integrated all-in-one touchscreen tablet plus TV, built for healthcare.



Standard cabinet color is Starlight Gray. Ask about Cream Availability



Compatible with PDi arms or available as rear VESA 75x75mm rear-mount for mounting in any situation.





Designed, programmed and assembled in the U.S.A.



Trust PDi to design, inspect, install, warranty, and repair patient TV systems.

#### **SPECIFICATIONS**

SPECIFICATIONS			
PANEL	medTA	∖B¹6	medTAB <sup>22</sup>
Diagonal Screen Size	15.6	"	21.5″
Display Resolution	1920x1	080	1920x1080
Backlight Type	LED		LED
TV STANDARDS n	nedTAB <sup>16</sup>	med	dTAB <sup>22</sup>
Antenna Input NTSC, ATSC	, QAM (Air VHF	/UHF, C	ATV, IRC, HRC)
IPTV	Yes		
AES- 128 and DISH IP DRM Pro:Idiom® & Pro:Idiom®M	Yes		
Dolby Audio™	Yes		
MPEG4 / MPEG2	Yes		
TV SET-UP FEATURES		•	•
Audio Volume Limiter		Yes	
Internal Speaker Disable		Yes	
Min/Max Volume Limiter		Yes	
Start/ Power-on Volume		Yes	
USB or GENIO TV Cloning & Firmware Updates		Yes	
Parental Control (V-CHIP)		Yes	
Programmable Source Selection		Yes	
Password Protected Set-up Menus		Yes	
Channel Enable/Disable and		Yes	

POWER	medTAB <sup>16</sup> medTAB <sup>22</sup>		
Source	POE or Power over Coax	POE or Power over Coax	
Max Consumption	34W	55W	

Coax Voltage Input

Aliasing/Remapping
Closed-captioning

Menu OSD

**Factory Reset** 

20-36 VAC/20-40 VDC

Yes

Yes

Yes



Dolby	<b>/</b> Au	ıdio

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc.

medTV and medTAB are trademarks of PDi Communication Systems, Inc. Some screen images are simulated. Dimension and weights are approximate. Design specification and features are subject to change without notice.

INPUT / OUTPUT	medTAB <sup>16</sup>	medTAB <sup>22</sup>
Ethernet	Yes	Yes
RF Input	1 (75ohm Unbalanced)	1 (75ohm Unbalanced)
USB 2 USB-A	: Patient Facing 1 USB-/	A and 1 USB-C, Patient Facing
НОМІ	2 Optional	2 Optional
Front Headphone	Yes, 1/8" jack	Yes, 1/8" jack
Speakers	2 x 1.7W RMS	2 x1.7W RMS
CCI	Optional	Optional
Pillow Speaker	Optional	Optional
REGULATORY	medTAB <sup>16</sup>	medTAB <sup>22</sup>
UL	60065 Annex Q	62368-1 Annex DVB
FCC Title 15, Part 47, Su	bpart B Yes	Yes
COMPUTER FEATURE	s medTAB <sup>16</sup>	medTAB <sup>22</sup>
os	Android 7	Android 11
CPU	rm A53 Quad Core 1.5GHz	1.9GHz 64-bit Quad Core ARM® Cortex™-A55 CPU
WiFi	WiFi 5	WiFi 5
Wireless Audio	Yes	Yes
Ethernet	Yes	Yes
Touchscreen	Projected Capacitance	Projected Capacitance
RAM	2GB	4GB
Storage	16GB	16GB
Camera/Microphone	Optional, 5MP	Optional, 8MP

DIMENSIONS	medTAB <sup>16</sup>	medTAB <sup>22</sup>	:
Weight Lbs. (Kg)	7 lbs (3.2 kg)	13 lbs (5.9 kg)	
Unit Dimension (W/H/D) - Swivel	15.2" x 14.8" x 2.5" 386 x 376 x 64mm	20.4" x 17.75" x 3" 519 x 452 x 76mm	
Unit Dimension (W/H/D) - VESA	15.2" x 11.3" x 2.5" 386 x 287 x 64mm	20.4" x 14.5" x 3" 519 x 369 x 76mm	
			•

**PART NUMBERS \*** 

medTAB16D1-GB2-C, with Cam/Mic

16" medTAB Android TV-tablet with GENIO, COAX+CAT6(ENET), Starlight Gray, Coax Power

medTAB22E-GB2-C, No Cam/Mic medTAB22E1-GB2-C, with Cam/ Mic 22" medTAB Android TV-tablet with GENIO, COAX+CAT6(ENET), Starlight Gray, Coax Power

WTG-medTAB

Premium Warranty

\*Call for other cable, power, or color configuration part numbers.




# Complete Solutions to Customize Your Patient Engagement Experience



med**TAB**.22





### GENIO™ CUSTOM PATIENT EXPERIENCE

Easily customize your patient experience with GENiO™ cloud-based remote content management by PDi.






Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color

	Swivel Arm-mounted Solutions					
	HEADWALL MOUNT	COUNTER MOUNT	RIGHT ANGLE MOUNT	SUPER REACH CEILING MOUNT	HORIZONTAL MOUNT	FLOOR MOUNT
	POPTER  FOR THE STATE OF THE ST					
22" HDTV-Tablet			medTAB22E-GB owered 22" All-in-One to	<b>32-C with Cam/Mic</b> <b>32-C No Cam/Mic</b> uchscreen HDTV-Tablet + om and Pro:IdiomM. COA		
Support Arm	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AJ1013F-GB Extended 48" Reach Ceiling Arm (includes support mount above ceiling) Holds 13 lbs, COAX+CAT6(ENET)	PD153-004-G and PDI-AD1413-GB Great for low ceilings, No upward arm motion, Std 23.5" extension, 31" drop reach. Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6 (ENET)
Mount	Mount is included in Slim Power Mount (PDI-871-G)	PDI-STM-18AV-G 18" Single Table Mount with Rotational Stops and A/V Plate	PDI1295WRS- AV-G Right Angle Counter Mount with Rotational Stops and A/V Cutout	Mount PDI- AJ1013F-GB is Included in Arm	Mount is Included in Slim Power Mount (PDI-871-G)	PDI-886-G 48" tall Floor Mount, 5/8" Base Pin
Power Supply	PDI-871-G Slim Power Mount Combo Unit = Mount and Power	<b>PDI-750AS-G</b> Standard External Power Supply	<b>PDI-750AS-G</b> Standard External Power Supply	PDI-750AS-G Standard External Power Supply	PDI-871-G Slim Power Mount Combo Unit = Mount and Power	PDI-750AS-G Standard External Power Supply
Optional Accessories	PDI-179RS-G Rotational Stop  PDI-255E-G External Backer Plate, 16" OC  PDI-254I Internal Backer Plate, 16" OC  PD108-520 Programming Remote  PD108-421 or PD108-527 Patient Remote  WTG-medTAB Premium Warranty	PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PDI-179RS-G Rotational Stop  PDI-255E-G External Backer Plate, 16"OC  PDI-254I Internal Backer Plate, 16"OC  PD108-520 Programming Remote  PD108-421 or PD108-527 Patient Remote  WTG-medTAB Premium Warranty	PDI-244DBF-G Dual Rotational Stops PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty



Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color





Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color



#### HDTV-Table medTAB22E1-GB2-C with Cam/Mic medTAB22E-GB2-C No Cam/Mic 22" Coax-powered 22" All-in-One touchscreen HDTV-Tablet + GENiO. Android™-based OS 11.0. Pro:Idiom and Pro:IdiomM. COAX+ENET.

Support Arm	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6 (ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AJ1013F-GB Extended 48" Reach Ceiling Arm (includes support mount above ceiling) Holds 13 lbs, COAX+CAT6(ENET)	PD153-004-G and PDI-AD1413-GB Great for low ceilings, upward arm motion,S 23.5" extension, 31" drop reach. Holds 13 COAX+CAT6(ENET)

PDI1295WRS-AV-G PDI-STM-18AV-G Mount PDI-AJ1013F-GB 18" Single Table Right Angle Counter Mount with Mount with Rotational is Included in Arm Stops and A/V Cutout **Rotational Stops** and A/V Plate

eilings, No otion,Std , 31" lds 13 lbs. NET)

PDI-179AV-G

COAX+CAT6 (ENET) PDI-886-G Standard Arm Mount

48" tall Floor Mount, 5/8" Base Pin

PDI-AA1413-GB

68" Arm, 5/8" Base Pin.

Holds 13 lbs,

#### PDI-772 Ten-tap Central Power Supply

	PDI-179-EXT-G 4" Extension
S	PDI-179RS-G Rotational Stop

Mount

PDI-179AV-G

Standard Arm Mount

PDI-255E-G External Backer Plate, 16" OC

PDI-254I Internal Backer Plate, 16" OC

PD108-520 Programming Remote

PD108-421 or PD108-527 Patient Remote

WTG-medTAB Premium Warranty PD203-103-G AV Plate, COAX+CAT5

PDI-STM-BP Internal Backer Plate

PD108-520 Programming Remote

PD108-421 or PD108-527 Patient Remote

WTG-medTAB Premium Warranty PD203-103-G AV Plate, COAX+CAT5

PDI-STM-BP Internal Backer Plate

PD108-520 Programming Remote

PD108-421 or PD108-527

Patient Remote WTG-medTAB Premium Warranty PD108-520 Programming Remote

PD108-421 or PD108-527

Patient Remote

WTG-medTAB Premium Warranty

PDI-179-EXT-G 4" Extension

PDI-179RS-G

Rotational Stop

PDI-255E-G External Backer Plate, 16"OC

PDI-2541 Internal Backer Plate, 16"OC

PD108-520 Programming Remote

PD108-421 or PD108-527 Patient Remote

WTG-medTAB Premium Warranty PDI-244DBF-G

**Dual Rotational** Stops

PD108-520

Programming Remote

PD108-421 or PD108-527


Patient Remote

WTG-medTAB Premium Warranty



Optional Accessorie

Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color





PDi offers many cable configurations. Standard options are shown below. Remember to order the same cables in PDi arm and medTAB device.

	PART NUMBER	COLOR	CABLES AND DESCRIPTION		
PDi Swivel	HDTV-TABLET				
	medTAB22E1-xB2-C x=color C/G	Cream	COAX+CAT6(ENET). PDi arm-mounted medTAB <sup>22</sup> with GENiO capability and Cam/Mic. Power over Coax.		
	<b>PDI-AA1413-xB</b> x=color C/G	Gray	1400 Series Support Arm, 68" reach, Supports 13 lbs for medTAB <sup>22</sup> . COAX+CAT6(ENET).		
Arm-mounted Solutions	HDTV-TABLET with EXTE	TV-TABLET with EXTERNAL DEVICES (Gaming Systems, DVD Players, etc.)			
	medTAB22E1-xH2-C x=color C/G	Cream	COAX+CAT6(ENET)+HDMI. PDi arm-mounted medTAB <sup>22</sup> with GENiO capability and Cam/Mic. Power over Coax.		
	PDI-AA1413-xH x=color C/G	Gray	1400 Series Support Arm, 68" reach, Supports 13 lbs for medTAB <sup>22</sup> . COAX+CAT6(ENET)+HDMI.		
Rear VESA Mounted Solutions	medTAB22E1R-xB2-C x=color C/G	Cream	Rear VESA medTAB <sup>22</sup> with GENiO capability and Cam/Mic. COAX+CAT6(ENET). Power over Coax.		
	medTAB22E1R-xH2 x=color C/G	Gray	Rear VESA medTAB <sup>22</sup> with GENiO capability and Cam/Mic. COAX+CAT6(ENET)+HDMI.		

## Please call 800.628.9870 for additional configurations.

### PDi Individual Low-voltage Power Supplies



Individual Slim Power Mount, Starlight Gray **PDI-871-G** 



Individual External Power Supply, Starlight Gray **PDI-750AS-G** 

## PDi 10-Tap Central Power Supply



1 RF Input/ 10 RF ACTV Outputs **PDI-772HE** 

Ask about Power over Ethernet (POE) TV Options



**Color Options** 

Starlight Gray, Cream



