

Android™ -based Smart Hospital TVs

PDi 65" 55" 43" 32" 24"

Android 11 OS or higher, compatible
with Epic® MyChart® Bedside TV

Improve your patient and staff experience,
with information and entertainment

EASY PATIENT ACCESS TO EPIC MYCHART HEALTH INFORMATION

Deploy smart hospital rooms and improve clinical workflows with the A-Series All-in-One PDi Android-based hospital TVs and integrated GENiO™ device management software, compatible with the MyChart Bedside TV app available from Epic Systems Corp. Patients access daily health schedules, pre-op instructions, patient medication information, care team, virtual care and more.

POPULAR EXPANDED ENTERTAINMENT

Delight patients with built-in pillow-speaker controlled TV, games, and relaxation, no internet required. Bring streaming TV, RF, IPTV, and movies for your patients. Customize your patient experience and save staff steps using the cloud-based GENiO™ subscription.

UL-LISTED FOR HEALTHCARE SAFETY

Purpose-built and safe for healthcare use in the USA and Canada. PDi A-Series hospital displays offer Pro:Idiom® and Pro:Idiom®M, AES-128, and DISH IP-DRM. Enjoy features including IPTV capability, multi-bed codes, volume limiters, universal pillow speaker recognition, USB cloning, and more to satisfy patients and staff.



**As Listed in
Epic Showroom**

PDi TVs Meet Minimum Requirements
for MyChart Bedside TV Hardware

- Android Version 9.0 or later
- Minimum 1.5 GB RAM
- Pillow speaker with 4-way Navigation Buttons, OK/Select Button, and a Back Button

A-Series Healthcare Televisions

Easily customize with GENiO cloud-based software by PDi

GENiO™

powered by PDi



Consistently Educate Patients



Improve Staff Workflows



Survey Patients & Measure Instant Results



Cloud based Remote Management



Expand Entertainment



Market Your Brand & Services

MODELS & SPECIFICATIONS



65"

PDI-A65C2

55"

PDI-A55C2

43"

PDI-A43C2

32"

PDI-A32C2

24"

PDI-A24C2

Includes TV, relaxation, and games; no internet required. Expand engagement with internet access or GENiO™ cloud-based customization and remote management software by PDi.


	PDI-A65C2	PDI-A55C2	PDI-A43C2	PDI-A32C2	PDI-A24C2
Android OS	Android 11	Android 11	Android 11	Android 11	Android 11
Diagonal Panel Size	65" (165.1 cm)	55" (139.7cm)	43" (109 cm)	31.5" (80.0 cm)	23.5" (59.8 cm)
Backlight Type	Back Lit LED	Edge Lit LED	Edge Lit LED	Edge Lit LED	Edge Lit LED
Native Resolution	3840 x 2160 (UFHD)	3840 x 2160 (UFHD)	3840 x 2160 (UFHD)	1366x768(HD)	1920x1080(FHD)
Speakers/ Audio Output	2 x 5 W	2 x 5 W	2 x 5 W	2 x 5 W	2 x 3 W
Power Supply	120 VAC/60 Hz	120 VAC/60 Hz	120 VAC/60 Hz	120 VAC/60 Hz	120 VAC/60 Hz
Power Consumption	179 W	120 W	84 W	50 W	40 W
Max and Normal/ Low Standby	<15 W / <1 W	<15 W / <1 W	<15 W / <1 W	<15 W / <1 W	<15 W / <1 W
Unit Dimensions W x H x D	57.6" x 33.1" x 3.15" (146.2 x 84 x 8.0cm)	49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5cm)	38.6" x 22.4" x 2.2" (98 x 57 x 6cm)	29.2" x 17.1" x 2.3" (74 x 43.5 x 6cm)	22.0" x 13.1" x 2.1" (56 x 34 x 5.3cm)
Carton Size & Carton Weight	63" x 38" x 8" 56 lbs	58" x 41" x 8" 59 lbs	42" x 26" x 6" 32 lbs	32" x 21" x 5" 19 lbs	25" x 16" x 5" 12 lbs
VESA Mount Pattern	200x300, 6mm	400x400, 8mm	200x200, 6mm	100x200, 6mm	100x100, 4mm
Warranty	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional

RF IN (Antenna) HDMI In Pillow Speaker I/O

Side Input Panel*
(Vertical on TV)



Bottom Connection Panel*



MTI CCI Ethernet USB (2)



Exclusive PDi Pillow Speaker Control

Ask for Curbell PDi-GENiO pillow speakers for smart control.

*Typical connections. Placement varies by model.

HEALTHCARE FEATURES



Pro:Idiom™ GENiO
powered by PDI



DOLBY AUDIO™

HDMI®
HIGH-DEFINITION MULTIMEDIA INTERFACE

HEALTHCARE TV FEATURES

Auto Power On	Yes
Pro:Idiom® Pro:Idiom®M	Yes
AES 128	Yes
DISH IP	Yes
Multi-Bed Codes A/B/C/D	Yes
Min/Max Volume Limiter	Yes
Power-on Volume	Yes
Internal Speaker Disable	Yes
USB Cloning	Yes
Curbell PDI-GENiO Pillow Speaker	Yes
Pillow Speaker Voltage	5V
Direct Access to Source from Pillow Speaker	Yes
Programmable Source Selection	Yes
Channel Enable/ Disable	Yes
Parental Control (V-CHIP)	Yes
Sleep Timer	Yes
OSD Language Limiter	English/Spanish/ French
SI Control Port	CCI/MTI/Smart Port
Universal Recognition Pillow Speaker	Yes, 3 Conductor 1/4" Female
Channel Tiers	3 (Free/Basic/Premium)
Digital Channel Autoscan and On/ Off Capability	Yes
Customizable Power On Splash Screen	Yes
UL Hospital Grade	Yes
Setup Menu Password Lock	Yes
Set-up Wizard	Yes
Pre-loaded Apps	Yes

PROCESSOR

OS	Android 11
Memory	2 GB RAM/ 16GB Flash

INPUT/OUTPUT

AC	IEC Male, Hospital-grade
USB Port (Cloning/ Firmware Updates/ Multimedia Use)	Yes, 2
RF Input	Yes
HDMI/HDCP Compliant/ HDMI-CEC	Yes, 3
CCI	Yes
MTI/SmartPort	Yes
Pillow Speaker I/O	Yes, 3 conductor 1/4" female
Ethernet	Yes
WiFi 6	Yes
Wireless Audio	Yes

AUDIO/VIDEO BROADCAST SYSTEMS

Aspect Ratio	16:9, 4:3
Multicast IP	Yes
NTSC/ATSC/QAM	Air VHF/UHF, CATV, IRC, HRC
MPEG4/MPEG2	Yes
Supported Formats	1080p/1080i/720p/ 576p/576i/480p/480i
Speakers/Audio Output Power	2 x 5W RMS, except 24" 2 x 3W RMS
Analog Channels	Mono/Stereo/SAP
Digital Channels	Multilingual
Tone Control Balance	Custom/Flat/Music/ Movie/ Speech
Source Input Leveling (AVC)	Yes
Dolby Audio	2 ch

POWER & POWER-SAVING FEATURES

Power Source	120V +/-15%, 60Hz
Inactive Power Off	Configurable Timer
Configurable Standby Power	Yes

COMPLIANCE

UL/cUL 62368-1, Annex DVB	65"
UL/cUL 60065, Annex Q	55" 43" 32" 24"
FCC Title 47 Part 15	Yes
Warranty	3 Year Standard 5 Year Optional

EPG
Electronic Programming Guide
Available for IPTV



Patient-Driven innovation

PDI is a trademark of PDI Communication Systems, Inc. Epic and MyChart are registered trademarks of Epic Systems Corp. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc. The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Some screen images are simulated. Dimensions and weights are approximate. Design specifications and features are subject to change without notice.

Fully integrated solutions to improve the experience.

Choose from a wide array of mounting options and amenities from PDi to perfectly place your PDi A-Series set in lobbies, waiting rooms, or your patient room & help the patient and visitors feel at home. Increase patient satisfaction with expanded entertainment accessories or options.

Contact PDi to learn about custom mount services, installation and integrated solutions. Visit www.pdiarm.com.

ACCESSORIES

**LOW-PROFILE
FLAT MOUNT**



**ARTICULATING
WALL MOUNT**



**J-HOOK ARTICULATING
WALL MOUNT**



**CEILING GRID
MOUNT**



TABLE STANDS



WIRELESS KEYBOARD




**CURBELL PDI-GENIO
PILLOW SPEAKER**



TV Model	PDI-A65C2	PDI-A55C2	PDI-A43C2	PDI-A32C2	PDI-A24C2
Standard Flat Wall Mount	PD168-088	PD168-070	PD168-033	PD168-079	PD168-079
Articulating Wall Mount for TV	PD168-116	PD168-116	PD168-116	PD168-116	PD181-700
Table Stand	PD168-108 or PD168-084	PD168-108 or PD168-084	PD168-108 or PD168-084	PD168-108 or PD168-084	PD168-084
J Hook Mount	PD168-089	PD168-087	PD168-086	PD168-086	PD168-086
Ceiling Grid Mounts	PDi-LCD-GRID-MT or PDi-DUAL-GRID-MT (Both require the Standard Flat Wall Mount)				
Pillow Speaker	Ask for Curbell PDi-GENiO Pillow Speaker				
Program Remote	PD108-520	PD108-520	PD108-520	PD108-520	PD108-520
Patient Remote	PD108-527	PD108-527	PD108-527	PD108-527	PD108-527
Wireless Keyboard	PD902-950	PD902-950	PD902-950	PD902-950	PD902-950
GENiO Remote Management	Optional	Optional	Optional	Optional	Optional
Extended Warranty	Available FirstYear of Purchase				

VESA Pattern



65" VESA Pattern:
VESA mount is 200x300, 6mm threads.
A: 23 inches | 580.5 mm
B: 23 inches | 580.5 mm
C: 3.54 inches | 30 mm
D: 21.8 inches | 553 mm

55" VESA Pattern:
VESA mount is 400x400, 8mm threads.
A: 16.7 inches | 425.1 mm
B: 16.7 inches | 425.1 mm
C: 6.4 inches | 162.4 mm
D: 6.4 inches | 162.4 mm

43" VESA Pattern:
VESA mount is 200x200, 6mm threads.
A: 15.35 inches | 390 mm
B: 15.35 inches | 390 mm
C: 6.7 inches | 170.2 mm
D: 8.5 inches | 214 mm

32" VESA Pattern:
VESA mount is 100x200, 6mm threads.
A: 10.7 inches | 270.8 mm
B: 10.7 inches | 270.8 mm
C: 4.9 inches | 125.6 mm
D: 8.3 inches | 209.6 mm

24" VESA Pattern:
VESA mount is 100x100, 4mm threads.
A: 9.1 inches | 230.2 mm
B: 9.1 inches | 230.2 mm
C: 4.6 inches | 116.6 mm
D: 4.6 inches | 116.6 mm